

Incardone, Gia G

From: Cote, Mike - Middlebury, CT
Sent: Thursday, March 01, 2007 8:17 AM
To: 'Tom Biksey'
Subject: RE: Chemtura Sistersville PCB Report

I'm on a call from 9 to about 10 or 10:30. I thought we were going to talk sometime between 12 and 2 depending on the EPA schedule.

Mike Cote

Chemtura Corporation

203-573-3545

From: Tom Biksey [mailto:tbiksey@escpa.com]
Sent: Wednesday, February 28, 2007 11:58 AM
To: Bunker.Kelly@epa.gov
Cc: Cote, Mike - Middlebury, CT
Subject: Chemtura Sistersville PCB Report

Kelly,

Attached is the latest PCB report for the project we have been discussing. Confirming that we will talk tomorrow at 9:30 am. I understand that you may not have time to read over the report before our call, the report is 7 pages with a table and two figures. We can review any of the report details with you during our call.

As I mentioned in our discussions previously, we are expanding the investigation to include areas under a concrete pad. Because of the logistics of sampling through the pad, we want any characterization work conducted in this area to be acceptable to EPA for purposes of PCB characterization.

Thank you for your time and assistance on this project.

Smooth seas and fair winds,

Tom

Tom Biksey
Director, Risk Assessment
WSP Environmental Strategies LLC
300 Corporate Center Drive, Suite 200
Moon Township, PA 15108
412.375.0261
412.604.1055 fax